

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20050228896").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/07/19 17:19
L2	1	("20020010938").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/07/19 17:19
L3	1	("20030115338").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/07/19 17:19
L4	3132	(709/230).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/07/19 17:19
L5	2912	(709/231).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/07/19 17:19
L6	2165	(709/232).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/07/19 17:19
L7	699	(709/233).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/07/19 17:19
L8	619	(709/234).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/07/19 17:19
L9	858	(709/235).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/07/19 17:19
L10	9018	L4 OR L5 OR L6 OR L7 OR L8 OR L9	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L11	35	L10 AND (indicat\$4 WITH packet WITH (in ADJ order))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L12	14	L10 AND (indicat\$4 WITH packet WITH (in ADJ order)) SAME (header)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L13	14	L12 AND (@ad<"20040407" OR @pd<"20040407" OR @rlad<"20040407")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L14	1	L10 AND (indicat\$4 WITH packet WITH single WITH burst)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19

L15	2	L10 AND ((indicat\$4 OR mark\$3) WITH packet WITH single WITH burst)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L16	2076	L10 AND ((indicat\$4 OR mark\$3) WITH packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L17	538	L10 AND ((indicat\$4 OR mark\$3) WITH packet WITH header)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L18	0	L10 AND ((indicat\$4 OR mark\$3) WITH packet WITH header) SAME (single WITH burst)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L19	1	L10 AND ((indicat\$4 OR mark\$3) WITH packet WITH header) SAME (back2back OR back?2?back OR backto?back OR back?to?back)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L20	6	((indicat\$4 OR mark\$3) WITH packet WITH header) SAME (back2back OR back?2?back OR backto?back OR back?to?back)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L21	3	L20 AND (@ad<"20040407" OR @pd<"20040407" OR @riad<"20040407")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L22	150	L10 AND (mss)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L23	17	L10 AND (mss AND (slow WITH start WITH threshold))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L24	15	L10 AND (mss AND (slow WITH start WITH threshold) AND ack)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L25	2	L10 AND (mss AND (slow WITH start WITH threshold) AND (ack WITH rate))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L26	4	((indicat\$4 WITH timestamp) SAME (back2back OR back?2?back OR backto?back OR back?to?back)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L27	3	L26 AND (@ad<"20040407" OR @pd<"20040407" OR @riad<"20040407")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:19
L28	1	L10 AND (modulat\$5 WITH (MSS OR (maximum ADJ segment ADJ size)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:44

L29	15	L10 AND (adjust\$5 WITH (MSS OR (maximum ADJ segment ADJ size)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:44
L30	0	L10 AND (adjust\$5 WITH (MSS OR (maximum ADJ segment ADJ size)) WITH indicat\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:44
L31	202	(adjust\$5 WITH (MSS OR (maximum ADJ segment ADJ size)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:45
L32	411	((adjust\$5 OR modulat\$5) WITH (MSS OR (maximum ADJ segment ADJ size)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:45
L33	24	((adjust\$5 OR modulat\$5) WITH (MSS OR (maximum ADJ segment ADJ size)) WITH indicat\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:45
L34	2	((adjust\$5 OR modulat\$5) WITH (MSS OR (maximum ADJ segment ADJ size)) WITH indicat\$4 WITH packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:45
L35	4	L33 AND (@ad<"20040407" OR @pd<"20040407" OR @rlad<"20040407")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:46
L36	34	((adjust\$5 OR modulat\$5) WITH (MSS OR (maximum ADJ segment ADJ size)) WITH packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:47
L37	11	L36 AND (@ad<"20040407" OR @pd<"20040407" OR @rlad<"20040407")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:47
L38	24	((adjust\$5 OR modulat\$5) WITH (MSS OR (maximum ADJ segment ADJ size)) WITH indicat\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:51
L39	4	L38 AND (@ad<"20040407" OR @pd<"20040407" OR @rlad<"20040407")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/07/19 17:51

7/ 19/ 2009 6:46:41 PM

C:\Documents and Settings\jgreene3\My Documents\EAST\Workspaces\10821105.wsp